

MARINE CERTIFIED LABEL MATERIALS

BS5609 is a recognized standard for self-adhesive labels for marine use. It contains provisions to ensure that dangerous goods transported by sea should be durably labelled and identified. This includes surviving immersion at sea.



Labeling a smarter future
beyond fossils



Find the right solution for your
brand at upmraflatac.com

Section 2

Section two details the requirements for pressure sensitive adhesive laminates and rates their performance in terms of dimensional stability, adhesion, artificial weathering, temperature cycling and colour fastness together with exposure to marine conditions for three months. It is the responsibility of the label printer to ensure that the printed labels comply with section 2 of BS5609.

Product	
PE	
PE White TC 85 (E3) RP77	PE Matt White TC 100 (RK) RP77
PE White 100 (64) RP77	PE Matt Opaque Pink (5L) RP37
PE White TC 100 (58) RP77	PE Matt Opaque Pink (5L) RP77
PE White UV Inkjet 100 (DIE) RP77	
PP	
PP White FTC 60 (DBG) RP37	PP Solid White TC 60 (MZ) RC77
PP White TC 60 (5N) RP77	PP Matt Solid White 60 (H3) RC77
PP White TC 60 (5N) RH7	PP White UV Inkjet 60 (CVW) RP77
PP White TC 60 (5N) RC77	PP White TC 60 (5N) RC18 *
PET	
PET White TC 50 (AJ) RC77	PET White TC 50 (AJ) RC18 *
VIP	
Polyprint 100 (3K) RP37S	Syntransfer (1L) RP77
Polyprint 100 (3K) RP77	Synlite TTR (BKV) RP37S
Polyprint 100 (3K) RH1	Synlite TTR (BKV) RP77
Polyprint 100 (3K) RH2	Synlite TTR (BKV) RH2
Polyprint 100 (3K) RH7	Polyprint Plus (CF) RH1
Polyprint 100 (3K) RC77	Polylaser Matt White (33) RP77
Syntransfer (1L) RP 37	
On-Demand Inkjet	
PP Inkjet Matt White On-Demand (GFS) RPAF	PP Inkjet Matt White Premium On-Demand 85 (ITI) RPAF
On-Demand Laser	
PE Laser On-Demand (FXM) RPFM	
A4	
PE Laser White (ME) RPFM	Polylaser Matt White (33) RPAF
Polyjet Matt White (GU) RPAF	Polylaser Matt White (33) RPFH
Sheets	
Polylaser Matt White HS (AXL) DP37	Petlaser Matt White HS (AXT) 97-H (MASTERTAC)
Polylaser Matt White HS (AXL) DP77	GT Polyester Matt White (HZH) GDP4 (GLOBALTAC)
Petlaser Matt White HS (AXT) 97-A (MASTERTAC)	GT Polyester Matt White (HZH) GDX6 (GLOBALTAC)

* UL-approved (printed with TTR) (ref PGJ12.MH26760)

Section 3

Section 3 contains the performance requirements for printed pressure sensitive adhesive labels. It is the responsibility of the label printer to ensure that the printed labels comply with section 3 of BS5609. This category includes the printing inks, ribbons and systems applied to materials certified in Section 2. The printed labels in Section 3 are thoroughly tested for print permanence, abrasion resistance and the effects of different weather conditions such as sand, salt spray and light.



Product	Printer & ribbon
PE	
PE White UV Inkjet 100 (DIE) RP77	Printer Tau 330E (Durst Tau HD ink)
PE Matt White TC 100 (RK) RP77	ITW B324 Black
	ITW B120 Black
	ITW B324R Red
	ITW B120R Red
PP	
PP White TC 60 (5N) RP77	DNP R300 Black
	Armor AXR 1 Black
	Armor AXR 8 Black
	ITW B324 Black (printer CAB XC6)
PP White UV Inkjet 60 (CVW) RP77	ITW B324R Red (printer CAB XC6)
	Printer Tau 330 (Durst Tau Standard UV ink)
VIP	
Synlite TTR (BKV) RP77	DNP R300 Black
Synlite TTR (BKV) RH2	ITW B324 Black
	ITW B324R Red

